In the Claims:

Applicant hereby submits a complete listing of all claims in the application with the status of each claim in parentheses.

- 1. (Currently amended) A battery powered lighter comprising:
- 5 a thin flat case;

10

15

20

- a sheet type battery provided within the flat case;
- a resistance wire heating element connected to the sheet type battery; and
- a power switch for opening and closing the connection between the sheet type battery and the resistance wire heating element; wherein
- the flat case comprises: an ignition window, open at a position where the heating element faces; a slide member <u>having a first position and a second position for opening and elosing the ignition window</u>; and an operating button for <u>operating operation of the power switch</u>;

a first portion of the slide member covers the ignition window when the slide member is in the first position; and

a second portion of the slide member slides between a terminal plate and an electrode, thereby preventing the operation of the power switch when the slide member is in the first position.

an operation of the operating button is precluded in the state that the ignition window-is closed by the slide member by a portion of the slide member being interposed between contacts of the power switch; and

the power switch is capable of being closed and activated by an operation of the operating button in the state that the ignition window is open.

- (Previously presented) A battery powered lighter as defined in claim 1, further comprising:
 - a display portion provided on a flat surface of the flat case.
 - 3. (Original) A battery powered lighter as defined in claim 1, wherein:
- 5 an operating portion of the slide member and the operating button are positioned adjacent to each other on the flat case.
 - 4. (Original) A battery powered lighter as defined in claim l, wherein:
 - a fixing portion of the resistance wire heating element is structured of heat cured resin.
 - 5. (Currently amended) A battery powered lighter as defined in claim l, wherein:
 - the sheet type battery is irreplaceably housed within the flat case, so that the lighter is disposable.
 - 6. (Original) A battery powered lighter as defined in claim I, wherein:
 - a portion of the flat case is openable and closable; and

the sheet type battery is replaceably housed therein.

- 7. (Currently amended) A battery powered lighter comprising:
- a thin flat case;

10

15

- a sheet type battery provided within the flat case;
- a resistance wire heating element connected to the sheet type battery; and
- a power switch for opening and closing the connection between the sheet type battery and
- 20 the resistance wire heating element; wherein

the flat case comprises: an ignition window, open at a position where the heating element faces; a slide member <u>having a first position and a second position for opening and closing the ignition window</u>; and an operating button for operating operation of the power switch:

the ignition window is closed when the slide member is in the first position; and movement of the operating button is restricted when the slide member is in the first position.

a portion of the slide member capable of preventing the power switch from completing
said connection between the battery and heating element when slide member is in the closed
position over said ignition window; and

said-portion-of-said-slide-member-capable-of-moving-out-of-interference-with-said connection when said-slide member is not covering said ignition window.

8. (Previously presented) A battery powered lighter as defined in claim 7, further comprising:

a display portion provided on a flat surface of the flat case.

10

15

- (Previously presented) A battery powered lighter as defined in claim 7, wherein: an operating portion of the slide member and the operating button are positioned adjacent to each other on the flat case.
 - (Previously presented) A battery powered lighter as defined in claim 7, wherein:
 a fixing portion of the resistance wire heating element is structured of heat cured resin.
- 11. (Currently amended) A battery powered lighter as defined in claim 7, wherein: the sheet type battery is irreplaceably housed within the flat case, so that the lighter is disposable.
- 20 12. (Previously presented) A battery powered lighter as defined in claim 7, wherein: a portion of the flat case is openable and closable; and the sheet type battery is replaceably housed therein.